



TITAN CONSTRUCTION TIRE WARRANTY POLICY MANUAL

FOR TITAN® AND GOODYEAR® FARM TIRES BRANDED CONSTRUCTION AND SELECT SMALL OTR TIRES



Effective January 1ST, 2021



TITAN CONSTRUCTION TIRE WARRANTY POLICY MANUAL

FOR TITAN® AND GOODYEAR® FARM TIRES BRANDED
CONSTRUCTION AND SELECT SMALL OTR TIRES

Titan Construction & Select Small OTR Tire Workmanship &
Materials Adjustment Policy2

Goodyear Farm Tires Branded Construction Tire Workmanship &
Materials Adjustment Policy8

Appendix14



TITAN CONSTRUCTION & SELECT OTR TIRE WORKMANSHIP AND MATERIALS ADJUSTMENT POLICY



> **OWNER'S OBLIGATION**

Proper tire care is required to obtain maximum hours of usage and wear. Owner must operate tires within Titan and manufacturer specified load, speed limits, and air pressure requirements (at cold-air pressures specified by Titan for load and speed according to individual tire size, type and load capacity) and maintain proper alignment of wheels. You must present the unserviceable tire and a copy of your proof of purchase to any participating Titan International, manufacturer of Titan Construction & Select Small OTR tire dealer. Please use our Dealer Locator at www.titan-intl.com or call 1 (800) 872-2327. Adjustment tires claimed to be unserviceable become the property of Titan and are subject to a disposal fee. Mounting, de-mounting, service charges, and taxes will be added to the purchase price under this pro-rated replacement program. No claim will be recognized unless submitted by an authorized Titan dealer, through THE HUB.

> **WHO IS ELIGIBLE?**

You are eligible for the benefits of the Workmanship and Materials Adjustment Policy if you meet all of the following criteria:

- Claim is made properly with a Titan, manufacturer of Titan Construction & Select Small OTR tires claim form, through THE HUB.
- You are the original owner or authorized agent for new Titan Construction & Select Small OTR tires acquired as OE Tires on new equipment or from an authorized Titan International, manufacturer of Titan Construction & Select Small OTR tires dealer.
- Your Titan brand Construction & Select Small OTR tires bear Titan prescribed tire identification numbers or are imported with Titan brand name molded into the sidewall, and are not branded "NA" (Not Adjustable).
- Your tires have been properly stored in clean, dry conditions away from direct sunlight.

- Your Titan brand Construction & Select Small OTR tires have been used only on equipment originally installed, in normal construction & small off the road service, in accordance with equipment manufacturer and Titan International recommendations.
- Your tires were purchased on or after January 1, 2021.

WHAT IS COVERED AND FOR HOW LONG?

PRODUCT

The following Titan Brand Construction & Select Small OTR tires are covered under this warranty.

- **Construction** includes Skid Steer, Backhoe, Trencher, Aerial Lift, Compactor shown below and as listed in the Appendix.
- **Select Small OTR** includes 24" & 25" E-2/G-2/L-2, E-3/L-3, E-7 shown below and as listed in the Appendix.

CONSTRUCTION

SKID STEER

Light Duty

HD 1000 SS

Standard

Titan Contractor FWD

Titan Trac-Loader Chevron SS

Titan Trac-Loader SS

Heavy Duty

Titan HD 2000 SS

Titan HD 2000 II SS

Severe Duty

Titan Ultimate SS

Titan H/E SS

Specialized

Titan TGS2 SS

Titan LSW G9A SS

COMPACTOR

C-1

Titan Road Roller II

BACKHOE

Bias R-4

Titan Industrial Contractor

Titan Industrial Tractor Lug

Titan Trac-Loader SS

Bias I-3

Titan Contractor Lug I-3

Titan Contractor II I-3

Titan TI422

Bias F-3

Titan Contractor F-3

TRENCHER

Bias HF-2

Titan Tru Power II HF-2

Titan Flo-Trac Lug HF-2

AERIAL LIFT

Titan Lift Rigger II R-1

SMALL OTR

RADIAL

E-3/L-3

Titan MXL (L-3)

Titan STTR (E-3/L-3)

E-2/G-2/L-2

Titan TG2 (G-2)

Titan TGL2 (G-2/L-2)

Titan TGD2 (E-2/L-2)

Titan TGS2 (G-2) OR (G-2/L-2)

BIAS

E-3/L-3

Titan Super Rigger (E-3/L-3)

E-2/G-2/L-2

Titan Lift Rigger (G-2)

Titan Motor Grader HD (G-2)

Titan Super Grader (G-2/L-2)

Titan Loader Grader III (G-2)

Titan Loader Dozer II (L-2)

E-7

Titan Super Sand Flotation (E-7)

FREE TIRE REPLACEMENT

Titan brand Bias & Radial Construction & Select Small OTR tires that become unserviceable due to a covered warranty condition under manufacturer's control, during the first year of service, if worn less than 10%, will be replaced with a comparable new Titan brand tire without charge excluding normal mounting and service charges.

Proof of purchase must be attached to claim form. If proof of purchase is not available to establish time in service, the tire date of manufacture will be used.

> **PRO-RATED TIRE REPLACEMENT**

Titan brand Radial & Bias Construction & Select Small OTR tires that become unserviceable due to workmanship & materials, outside of Free Tire Replacement coverage, which meet the criteria under “Who is Eligible”, may be eligible for replacement with a comparable new tire on a pro-rated cost basis depending on the amount of wear. If proof of purchase is not available to establish time in service, tire date of manufacture will be used.

In North America, the customer charge will be calculated by multiplying the customer’s normal buying price, current at time of adjustment, by the percentage determined from the chart below. Pro-rated cost adjustment for replacement of tires worn more than the amounts specified in the table per years of service will be at Titan’s sole discretion. Mounting, de-mounting, service charges, and taxes will be added to the purchase price under pro-rated replacement.

6 YEAR PRO-RATE **Construction, Small OTR**

YEARS OF SERVICE OR AGE DURING	IF WORN LESS THAN	PRO RATA COLLECTION
1st year	10%	N/C
2nd year	20%	20%
3rd year	40%	40%
4th year	60%	60%
5th year	80%	80%
6th year	90%	90%

> **WHAT IS A COMPARABLE TIRE?**

A “comparable” new Titan branded Construction & Select Small OTR tire may either be the same line of tire or, in the event a comparable tire is not available, a tire of the same basic construction (Radial or Bias), but with different sidewall, tread configuration, or a Titan International manufactured Goodyear Farm Tires branded tire. If a higher priced tire is accepted as replacement, the difference in price will be at an additional charge to you.

Any replacement tire provided pursuant to this protection plan will be covered under warranty as a new tire, by the Titan protection plan in effect at the time of replacement.

> **WHAT IS NOT COVERED BY THIS PROTECTION PLAN?**

OUTSIDE COVERAGE TIMELINE

Titan branded Radial & Bias Construction & Select Small OTR tires purchased under this protection plan and presented for coverage more than 6 years after date of purchase are not covered.

If proof of purchase is not available to establish time in service, the tire date of manufacture will be used.

Tires are adjustable for ride-related conditions only during the first six months of service and up to 1/32nd inch of tread wear.

GENERAL EXCLUSIONS

The following situations are excluded from coverage under the policy explained herein:

- Site-Road Hazard - Impact break, cut, snag, tear, or chunking.
- Mechanical Condition - Mismatched adjacent tires, incorrect alignment, irregular wear, balance, or rim slip/condition.
- Pre-mature wear.
- Misuse - Overload, abuse, negligence, excessive speed, racing / pulling contests, filler, sealants, balancing substances, or intentional alteration of appearance or physical characteristics.
- Unforeseen Events - Fire, accident, vandalism, or collision.
- Improper mounting, de-mounting, repair, inflation, application, or chain usage.
- Improper handling, including damaged wheel and rim components.
- Use of improper tube, O-Ring, or non-approved rims.
- Ozone or weather cracking that does not render tire unserviceable or conditions caused by aging via improper storage, including but not limited to the following:
 - Direct sunlight exposure and ozone created by welders, electric motors, and transformers.
 - Exposure to hydrocarbons such as gas, diesel, oil, paint, solvents, hydraulic fluid, and brake fluid.
 - Improper inflation and stacking.

In no event shall Titan, manufacturer of Titan Construction & Select Small OTR tires, be responsible for any liability for loss of time, inconvenience, loss of use of vehicle, incidental or consequential damage resulting from warranty claim, to the extent permitted by law.



SAFETY WARNINGS

Serious injury or death may result from:

- Tire failure due to underinflation/overloading. Follow the vehicle owner's manual or tire placard in vehicle.
- Explosion of tire/rim assembly due to improper mounting. Only specially trained persons should mount tires.
- Failure to deflate assemblies completely before de-mounting.

> WHAT ARE YOUR LEGAL RIGHTS?

No representative or dealer has authority to make any representation, promise, or agreement on behalf of Titan, manufacturer of Titan Construction & Select Small OTR tires, except as stated herein. Any tire, no matter how well constructed, may fail in service or otherwise become unserviceable due to conditions beyond the control of the manufacturer.

This adjustment policy is not intended as a representation that a tire failure cannot occur.

TO THE EXTENT PERMITTED BY LAW, TITAN, MANUFACTURER OF TITAN CONSTRUCTION & SELECT SMALL OTR TIRES, DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, OTHER THAN THE WARRANTIES STATED IN THIS LIMITED WARRANTY, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Owner's remedies are limited to those provided herein. Titan shall not be liable for incidental, consequential, punitive damages, loss of time or profits, loss of vehicle use, or inconvenience reparations to the extent permitted by law, even if advised of the possibility of such loss or damages. Some states or provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This adjustment policy provides specific legal rights, and you may also have other rights that vary from state to state or province to province. This protection plan is applicable only for North America.

> **WHEN DOES THE ADJUSTMENT POLICY END?**

A tire has delivered its full original tread life and this warranty ends when the tread is worn to 2/32nds of an inch or the tire exceeds the time and wear limitations described in this policy. In all cases, without proof of purchase, date of tire manufacture will be used to determine age.

This Titan Limited Warranty and Adjustment policy may not be altered, enlarged, or modified except in writing by Titan.



GOODYEAR FARM TIRES BRANDED CONSTRUCTION TIRE WORKMANSHIP AND MATERIALS ADJUSTMENT POLICY



> **OWNER'S OBLIGATION**

Proper tire care is required to obtain maximum hours of usage and wear. Owner must operate tires within Titan and manufacturer specified load, speed limits, and air pressure requirements (at cold-air pressures specified by Titan for load and speed according to individual tire size, type and load capacity) and maintain proper alignment of wheels. You must present the unserviceable tire and copy of your proof of purchase to any participating Titan International, manufacturer of Goodyear Farm Tires branded Construction tires dealer. Please use our Dealer Locator at www.titan-intl.com or call 1 (800) 872-2327. Adjustment tires claimed to be unserviceable become the property of Titan and are subject to a disposal fee. Mounting, de-mounting, service charges, and taxes will be added to the purchase price under this pro-rated replacement program. No claim will be recognized unless submitted by an authorized Titan dealer, through THE HUB.

> **WHO IS ELIGIBLE?**

You are eligible for the benefits of the Workmanship and Materials Adjustment Policy if you meet all of the following criteria:

- Claim is made properly with a Titan, manufacturer of Goodyear Farm Tires branded Construction tires claim form, through THE HUB.
- You are the original owner or authorized agent for new Titan, manufacturer of Goodyear Construction tires acquired as OE Tires on new equipment or from an authorized Titan International, manufacturer of Goodyear Construction tires dealer.
- Your Goodyear brand Construction tires bear Titan prescribed tire identification numbers and are not branded "NA" (Not Adjustable).
- Your tires have been properly stored in clean, dry conditions away from direct sunlight.



- Your Goodyear brand Construction tires have been used only on equipment originally installed, in normal construction service, in accordance with equipment manufacturer and Titan International recommendations.
- Your tires were purchased on or after January 1, 2021.

> WHAT IS COVERED AND FOR HOW LONG?

PRODUCT

The following Goodyear Brand Construction tires are covered under this warranty.

- **Construction** includes Backhoe, Skid Steer, Trencher, Smooth shown below and as listed in the Appendix.

RADIAL CONSTRUCTION

BACKHOE RADIAL R-4

Goodyear IT520 Radial R-4
Goodyear IT530 Radial R-4

BIAS CONSTRUCTION

BACKHOE Bias R-4

Goodyear Industrial Tractor Lug R-4
Goodyear IT515 HS R-4
Goodyear IT525 R-4

Bias I-3

Goodyear Sure Grip Lug I-3
Goodyear Contractor-T I-3

Bias F-3

Goodyear Laborer F-3
Goodyear Multi-Rib F-3

SKID STEER Standard

Goodyear Sure Grip Lug SS

TRENCHER

Bias HF-2

Goodyear Super Terra Grip HF-2

SMOOTH

Bias C-1

Goodyear Snow Plow
Goodyear Smooth Implement
Goodyear Smooth

> FREE TIRE REPLACEMENT

Goodyear brand **RADIAL** Construction tires that become unserviceable due to a covered warranty condition under manufacturer's control, during the first year of service, **if worn less than 25%**, will be replaced with a comparable new Goodyear brand tire without charge excluding normal mounting and service charges.

Goodyear brand **BIAS** Construction tires that become unserviceable due to a covered warranty condition under manufacturer's control, during the first year of service, **if worn less than 10%**, will be replaced with a comparable new Goodyear brand tire without charge excluding normal mounting and service charges.

Proof of purchase must be attached to claim form. If proof of purchase is not available to establish time in service, the tire date of manufacture will be used.

> **PRO-RATED TIRE REPLACEMENT**

Goodyear brand Radial & Bias Construction tires that become unserviceable due to workmanship & materials, outside of Free Tire Replacement coverage, which meet the criteria under “Who is Eligible”, may be eligible for replacement with a comparable new tire on a pro-rated cost basis depending on the amount of wear. If proof of purchase is not available to establish time in service, tire date of manufacture will be used.

In North America, the customer charge will be calculated by multiplying the customer’s normal buying price, current at time of adjustment, by the percentage determined from the chart below. Pro-rated cost adjustment for replacement of tires worn more than the amounts specified in the table per years of service will be at Titan’s sole discretion. Mounting, de-mounting, service charges, and taxes will be added to the purchase price under pro-rated replacement.

8 YEAR PRO-RATE RADIAL Construction

YEARS OF SERVICE OR AGE DURING	IF WORN LESS THAN	PRO RATA COLLECTION
1st year	25% Worn	0%
2nd year	20%	20%
3rd year	30%	30%
4th year	40%	40%
5th year	50%	50%
6th year	60%	60%
7th year	70%	70%
8th year	80%	80%

6 YEAR PRO-RATE BIAS Construction

YEARS OF SERVICE OR AGE DURING	IF WORN LESS THAN	PRO RATA COLLECTION
1st year	10% Worn	0%
2nd year	20%	20%
3rd year	40%	40%
4th year	60%	60%
5th year	80%	80%
6th year	90%	90%

> **WHAT IS A COMPARABLE TIRE?**

A “comparable” new Goodyear Farm Tires branded Construction tire may either be the same line of tire or, in the event a comparable tire is not available, a tire of the same basic construction (Radial or Bias), but with different sidewall, tread configuration, or in Titan brand. If a higher priced tire is accepted as replacement, the difference in price will be at an additional charge to you.

Any replacement tire provided pursuant to this protection plan will be covered under warranty as a new tire, by the Titan protection plan in effect at the time of replacement.

> **WHAT IS NOT COVERED BY THIS PROTECTION PLAN?**

OUTSIDE COVERAGE TIMELINE

- Goodyear branded **RADIAL** Construction tires purchased under this protection plan and presented for coverage more than **8 years** after date of purchase are not covered.
- Goodyear branded **BIAS** Construction tires purchased under this protection plan and presented for coverage more than **6 years** after date of purchase are not covered.

If proof of purchase is not available to establish time in service, the tire date of manufacture will be used.

Tires are adjustable for ride-related conditions only during the first six months of service and up to 1/32nd inch of tread wear.

GENERAL EXCLUSIONS

The following situations are excluded from coverage under the policy explained herein:

- Site-Road Hazard - Impact break, cut, snag, tear, or chunking.
- Mechanical Condition - Mismatched adjacent tires, incorrect alignment, irregular wear, balance, or rim slip/condition.
- Pre-mature wear.
- Misuse - Overload, abuse, negligence, excessive speed, racing / pulling contests, filler, sealants, balancing substances, or intentional alteration of appearance or physical characteristics.
- Unforeseen Events - Fire, accident, vandalism, or collision.
- Improper mounting, de-mounting, repair, inflation, application, or chain usage.
- Improper handling, including damaged wheel and rim components.
- Use of improper tube, O-Ring, or non-approved rims.
- Ozone or weather cracking that does not render tire unserviceable or conditions caused by aging via improper storage, including but not limited to the following:
 - Direct sunlight exposure and ozone created by welders, electric motors, and transformers.
 - Exposure to hydrocarbons such as gas, diesel, oil, paint, solvents, hydraulic fluid, and brake fluid.
 - Improper inflation and stacking.



In no event shall Titan, manufacturer of Titan Construction & Select Small OTR tires, be responsible for any liability for loss of time, inconvenience, loss of use of vehicle, incidental or consequential damage resulting from warranty claim, to the extent permitted by law.

SAFETY WARNINGS

Serious injury or death may result from:

- Tire failure due to underinflation/overloading. Follow the vehicle owner's manual or tire placard in vehicle.
- Explosion of tire/rim assembly due to improper mounting. Only specially trained persons should mount tires.
- Failure to deflate assemblies completely before de-mounting.

> WHAT ARE YOUR LEGAL RIGHTS?

No representative or dealer has authority to make any representation, promise, or agreement on behalf of Titan, manufacturer of Goodyear Construction tires, except as stated herein. Any tire, no matter how well constructed, may fail in service or otherwise become unserviceable due to conditions beyond the control of the manufacturer.

This adjustment policy is not intended as a representation that a tire failure cannot occur.

TO THE EXTENT PERMITTED BY LAW, TITAN, MANUFACTURER OF GOODYEAR CONSTRUCTION TIRES, DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, OTHER THAN THE WARRANTIES STATED IN THIS LIMITED WARRANTY, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Owner's remedies are limited to those provided herein. Titan shall not be liable for incidental, consequential, punitive damages, loss of time or profits, loss of vehicle use, or inconvenience reparations to the extent permitted by law, even if advised of the possibility of such loss or damages. Some states or provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This adjustment policy provides specific legal rights, and you may also have other rights that vary from state to state or province to province. This protection plan is applicable only for North America.

> **WHEN DOES THE ADJUSTMENT POLICY END?**

A tire has delivered its full original tread life and this warranty ends when the tread is worn to 2/32nds of an inch or the tire exceeds the time and wear limitations described in this policy. In all cases, without proof of purchase, date of tire manufacture will be used to determine age.

This Titan Limited Warranty and Adjustment policy may not be altered, enlarged, or modified except in writing by Titan.



APPENDIX

CONSTRUCTION/SMALL OTR		
PRODUCT LINE	SKU	DESC.
CONTRACTOR	4652Q3	480/45-17IMP 134A8/B Contr TL
	465317	11L-16SL 12 Contractor TL
	465388	14.5/75-16.1SL 10 Contractor
CONTRACTOR FWD	46C3H9	15-19.5NHS 8 Contractor FWD TL
	46C3E6	12-16.5NHS 6 Contractor FWD TL
	46C3G9	14-17.5NHS 10 ContractorFWD TL
CONTRACTOR II	42E3T7	12.5/80-18 12 Contractor II TL
CONTRACTOR-T	46W3J9	12.5/80-18 10 Contractor-T TL
	46W3J8	10.5/80-18 10 Contractor-T TL
	46W3X8	10.5/80-18 6 Contractor-T TL
	46W39NGY	12.5/80-18NHS 6 Contractor-T
H/E	43H34R	12-16.5NHS 14 H/E TL
	43H3R8	10-16.5NHS 10 H/E TL
	43H384	14-17.5NHS 14 H/E TL
HD 1000	HD10J7	12-16.5NHS 126A8/10PR HD 1000
	HD133L	14-17.5NHS 141A8/14PR HD 1000
	HD18C8	10-16.5NHS 116A8/8PR HD 1000
HD 2000	4393G8TTF	23x8.50-12NHS 6 HD 2000 TL
	4393D1	10-16.5NHS 8 HD 2000 TL
	4393J7	12-16.5NHS 10 HD 2000 TL
	439336	15-19.5NHS 12 HD 2000 TL
	439396	14-17.5NHS 10 HD 2000 TL
	4393C9	12-16.5NHS 6 HD 2000 TL
	439377	27x8.50-15NHS 8 HD 2000 TL
	439378	27x10.50-15NHS 8 HD 2000 TL
	439384	14-17.5NHS 14 HD 2000 TL
HD 2000 II	49E3J7	12-16.5NHS 10 HD 2000 II TL
	49E3L8	31x15.50-16.5NHS 8 HD 2000 II
	49E3R9	33x15.50-16.5NHS 14 HD 2000 II
	49E3D1	10-16.5NHS 8 HD 2000 II TL
	49E3W8	20x8.00-10NHS 4 HD 2000 II TL
	49E384	14-17.5NHS 14 HD 2000 II TL
INDUSTRIAL CONTRACTOR	4D6603	17.5L-24 6 R4 IND CONTRACTR TL
INDUSTRIAL TRACTOR LUG	645486TE	420/85D24IND 136A8 IndTracLug
	486061	19.5L-24 10 Ind Tractor Lug TL
	4866T2	420/70-24 6 Ind Tractor Lug TL
	486803	17.5L-24 8 Ind Tractor Lug TL
	486845	16.9-24 8 Ind Tractor Lug TL
	486861	19.5L-24 8 Ind Tractor Lug TL
	486058	18.4-28 10 Ind Tractor Lug TL
	486103	17.5L-24 12 Ind Tractor Lug TL
	486145	16.9-24 12 Ind Tractor Lug TL
	486156	18.4-26 12 Ind Tractor Lug TL

INDUSTRIAL TRACTOR LUG	486161	19.5L-24 12 Ind Tractor Lug TL
	486175	21L-24 12 Ind Tractor Lug TL
	486634	14.9-24 6 Ind Tractor Lug TL
	486834	14.9-24 8 Ind Tractor Lug TL
	486845GY	16.9-24 8 Ind Tractor Lug TL
	486864	18.4-24 8 Ind Tractor Lug TL
IT515 HS	4H5161	19.5L-24 12 IT515 HS TL
IT520	4528A4GEF	460/70R24 159A8/B IT520 TL
	452661GY	500/70R24 157A8/B IT520 TL
IT525	45T061 GEF	19.5L-24 10PR/146A8 IT525 TL
	45T575	21L-24 16 IT525 TL
	45T145	16.9-24 12 IT525 TL
	45T148	16.9-28 12 IT525 TL
	45T161	19.5L-24 12 IT525 TL
	45T164	18.4-24 12 IT525 TL
	45T175	21L-24 12 IT525 TL
	45T376	21L-28 14 IT525 TL
IT530	453661GY	500/70R24 157A8/B IT530 TL
	453675	540/70R24 161A8/B IT530 TL
LABORER	4LT310GY	11L-15SL 10 Laborer TL
	4LT317GY	11L-16SL 12 Laborer TL
	4LT388	14.5/75-16.1S 10 Laborer TL
LIFT RIGGER II	43C34LTE	400/70-20 150A8/B LiftRiggerII
ROAD ROLLER II	3GR2E1F	7.50X15-14 RD RLR SMTH II TT+F
	3GR3A2	8.5/90x15-6 RD RLR SMTH II TL
SURE GRIP LOADER	4GL3H9GY	15-19.5NHS 8 SureGrip Loader
SURE GRIP LUG	4GL339	27x8.50-15NHS 6 Sure Grip Lug
	4GL483GY	12.4-16 4 SureGrip Lug TL
	4GL5J9	12.5/80-18 14 SureGrip Lug TL
TRAC LOADER	3C8412TE	260/70D16.5IND 110A8 Trac Ldr
	4123C3	23x8.50-12NHS 4 Trac Loader TL
	4123C8	10-16.5NHS 6 Trac Loader TL
	4123C9	12-16.5NHS 6 Trac Loader TL
	412373	15-19.5NHS 6 Trac Loader TL
	412388	23x8.50-14NHS 4 Trac Loader TL
	4122N7	27x12.50-15NHS 4 TracLoader TL
	4123A5	43x16.00-20NHS 4 TracLoader TL
	4123R3	28x8.50-15NHS 6 Trac Loader TL
	4123U1	18x8.50-10NHS 4 Trac Loader TL
	412339	27x8.50-15NHS 6 Trac Loader TL
	412361	26x12.00-12NHS 4 TracLoader TL
	412379	25x8.50-14NHS 6 Trac Loader TL
	412334	14-17.5NHS 6 Trac Loader TL
	412396	14-17.5NHS 10 Trac Loader TL
TRAC LOADER CHEVRON	4123C5TTF	7.00-15SS 6 Trac Ldr Chevron
ULTIMATE	49U3D1	10-16.5NHSx 8 ULT TL
	49U3J7	12-16.5NHS 10 ULT TL
	49U384	14-17.5 14 ULTIMATE TL
MULTI RIB	4MR3T8	9.00-10NHS 10 MultiRib TL
TI422	4223J9	12.5/80-18NHS 10 TI422 TL

LSW G9A	G9A3M1	LSW305-546NHS 10 LSW G9A TL
	G9A3D1	LSW265-521 10 LSW G9A NHS TL
LIFT RIGGER	T9C3R4	14.00-24TG 16 Lift Rigger TL
LOADER DOZER II	431921	20.5-25 20 Loader Dozer II TL
	431923	23.5-25 20 Loader Dozer II TL
	431117	17.5-25 12 Loader Dozer II TL
	431120	15.5-25 12 Loader Dozer II TL
	431121	20.5-25 12 Loader Dozer II TL
	431521	20.5-25 16 Loader Dozer II TL
LOADER GRADER	61L121TTF	20.5-25 12 LOADER GRADR L-2 TL
	61L521TTF	20.5-25 16 LOADER GRADER TL
LOADER GRADER III	LG3333	13.00-24 12 LG III G2 TL
	LG3344	14.00-24 12 LG III G2 TL
	LG3917	17.5-25 20 LG III L-2/ G-2 TL
MOTOR GRADER HD	367F33	13.00-24TG 12 MotorGraderHD FF
	367F44	14.00-24TG 12 MotorGraderHD FF
	367333	13.00-24TG 12 MotorGraderHD TL
	367344	14.00-24TG 12 MotorGraderHD TL
	36738A	13.00-24TG 16 MotorGraderHD TL
	3673R4	14.00-24TG 16 MotorGraderHD TL
MXL	4LP117	17.5R25 1* MXL L-3 TL
	4LP121	20.5R25 1* MXL L-3 TL
	4LR117TTF	17.5R25 1* MXL L-3 TL STL BELT
	4LR121TTF	20.5R25 1* MXL L-3 TL STL BELT
SUPER GRADER	3SG666	16.00-24TG 16 Super Grader TL
SUPER RIGGER	49L3R4	14.00-24TG 16 Super Rigger TL
	49L333	13.00-24TG 12 Super Rigger TL
	49L344	14.00-24TG 12 Super Rigger TL
	49LB65TTF	14.00-25NHS 28 Super Rigger TL
SUPER SAND FLOTATION	6DTUK2	21.00-25DT SSF 28PR E7 TL
	6DT1D6TTF	16.00-24DT 12SPR SD FLO E7 TL
	6DT5D8TTF	18.00-25 16 SAND FLOT (E-7) TL
TG2	PGW1R4TTF	14.00R24 TG2 1* G-2 TL
TGD2	EDTB21	20.5R25 TGD2 CE E2/L2 2*/1* TL
TGL2	EUWA17	17.5R25 TGL2 WE 1* L2/G2 TL
TGS2	ESWA17	17.5R25 TGS2 WE 1*/1* 176/153 A2/A8 L2/G2 TL
	PSW1R4TTF	14.00R24 TGS2 1* G-2 TL
	ESWA21	20.5R25 TGS2 WE 1*/1* 186A2/161A8 L2/G2 TL
	4S23J7	12-16.5NHS TITAN TGS2 10PR TL

> **FOR EVERY APPLICATION, TITAN KEEPS YOU MOVING.**



1 (800) 872-2327 | www.titan-intl.com

TITAN MOVES THE WORLD®
01AG22EN022021 © 2021 Titan International, Inc. All Rights Reserved. TWI, Quincy, IL. Materials and specifications are subject to change without notice.
Goodyear is a registered trademark of The Goodyear Tire & Rubber Company.